


INTERNATIONAL JUDO FEDERATION



**IJF OLYMPIC GAMES
JUDO REQUIREMENTS**

Version October 2020





IJF OLYMPIC GAMES JUDO REQUIREMENTS

Contents

INTRODUCTION	1
CONTACT INFORMATION	1
LEGACY STRATEGY	2
SUSTAINABILITY STRATEGY	2
IJF ACCOMMODATION	2
VIP hotel	2
Staff hotel	2
COMPETITION VENUE	3
BACK OF HOUSE (BOH)	3
Athlete changing rooms	3
Athlete cubicles	3
Athlete doping control suite	3
Athlete lounge and dining	3
Athlete medical room.....	3
Athlete medical room additional.....	4
Athlete sauna.....	4
Athlete toilets.....	4
Athlete staging/waiting area	4
Coaches' area/rest room.....	4
Coffee station	5
Competition management work area	5
Games officials and IJF staff lounge	5
Games officials and IJF staff changing rooms.....	5
Games officials and IJF staff toilets.....	6
General Secretary and secretariat.....	6
IF lounge.....	6
IF lounge catering room.....	7
IF office	7
ITOs' work area.....	8
Judogi control area/call room.....	8
NTOs' work area.....	8
President's lounge.....	8
Sewing room	9
Sport equipment room	9
Sport equipment room (additional)	9
Sport information desk.....	9
Technical delegates' office	9
Warm up area.....	10
Weigh-in (random)	10
Field of play.....	11
FOP tatami.....	11
FOP technical table.....	13
Delegation seating.....	14
DRAW	15
Draw room.....	15
Draw cocktail space.....	15



TRAINING VENUE	15
VILLAGE	16
Sewing room	16
Official weigh-in rooms	16



IJF OLYMPIC GAMES JUDO REQUIREMENTS

For internal use only: changes made to this document should also be made to the corresponding Excel lists.

INTRODUCTION

The Olympic Games is the most prestigious event in the International Judo Federation (IJF) calendar and this should be reflected in the level of service provided to all client groups. The organising committee (OCOG) should strive to deliver a higher standard than that which is currently experienced in most of the IJF World Judo Tour (WJT) events.

This document should be used in conjunction with the latest version of the IJF Sport and Organisation Rules (SOR) and the IJF Event Organisation Guide (EOG). These can be found at <https://www.ijf.org/ijf/documents/5>

CONTACT INFORMATION

General Secretariat - GS@ijf.org
Vladimir Barta Technical Delegate - bartajudo@volony.cz
Lisa Allan Competition Manager - lisa@ijf.org
Larisa Kiss International Relations Manager - larisa@ijf.org
Sport Commission - sport@ijf.org

Abbreviations:

- FOP - field of play
- OBS - Olympic Broadcast Service
- OCOG - Organising Committee for the Olympic Games
- PRD - printed results distribution
- RTDS - real time display system
- SSE - sport specific equipment
- WJT - World Judo Tour





LEGACY STRATEGY

When delivering an Olympic Judo competition, the IJF and the OCOG work in close cooperation with the National Federation of the host country. This experience provides the National Federation with experience and know-how for organising competitions at the highest level, which will reflect on the respective National Federation's performance in all areas, from competition organisation to refereeing.

Depending also on the level of judo in the host country, through various side activities and public engagement, we wish to improve the notoriety and public appeal of the sport, hoping to attract more youth and in general more practitioners to the sport.

The choice of venue is of paramount importance from a legacy point of view. If it is a new venue or an existing but refurbished venue, it can become home for future high-level judo competitions and even become host of a WJT competition. It will always bear a mark of prestige and will become an iconic location.

SUSTAINABILITY STRATEGY

The IJF Event Organisation Guide (EOG) contains a section on sustainability at IJF WJT events for reference. The IJF Policy on Sustainability and EOG can be found here: <https://www.ijf.org/ijf/documents/5>

IJF ACCOMMODATION

VIP hotel

5 star hotel, in a good location, proximity to the venue is a plus.

Users: IJF Executive Committee and guests

Requirements: Number of rooms: 85-100 including approx 10-15 suites

One lounge space to be used for group dinners: approx 85-100 persons capacity

Buffet dinner with a mutually agreed menu needed for each day and non-alcoholic beverages included

Lounge to start 1 day before the draw and to end the day before the end of the competition

Spa / fitness suite appreciated

Proximity to a T3 station or OFH appreciated

1 ballroom to be used on the night of the last competition day, for a cocktail reception for approx 350 persons

1 office space for max 10 persons, to be used a few days before the competition starts

1 storage room for the entire period

Staff hotel

3-4 star hotel, in a good location, proximity to the venue is a plus.

Users: IJF staff and guests

Requirements: Number of rooms: 50

One lounge space to be used for group dinners: approx 50 persons capacity

Buffet dinner with a mutually agreed menu needed for each day and non-alcoholic beverages included

Lounge to start 1 day before the draw and to end the day before the end of the competition

Spa / fitness suite appreciated

Proximity to a T3 station appreciated



IJF OLYMPIC GAMES JUDO REQUIREMENTS

COMPETITION VENUE

Existing or new with a seating capacity of 15,000 - 20,000 gross.

BACK OF HOUSE (BOH)

Athlete changing rooms

IJF reference: JUDOBOH001 & JUDOBOH002

Size: 80 m²

Use: Changing, showering and bag storage

Equipment: Showers (4-6 cubicles), lockers and benches

Note: Need for both females and males. Can be combined with athlete toilets. Can be more than one if more smaller spaces are existing.

Athlete cubicles

IJF Reference: JUDOBOH003

Size: 300 m²

Use: Private spaces (30-40 of 2 m x 3m) in warm-up area for NOCs to use

Equipment: Physiotherapy bed and a couple chairs in each one

Note: Included in total warm-up area size.

Athlete doping control suite

IJF Reference: JUDOBOH004

Size: 230 m²

Use: Doping control for athletes.

Layout: Reception area with separated doping control suite.

Equipment: OCOG responsible

Note: OCOG has final decision on this space.

Athlete lounge and dining

IJF reference: JUDOBOH005

Size: 200 - 250 m²

Use: Space for dining (hot/cold food) and drinks for up to 150 people at a time with a space for relaxing/lounging

Layout: Dining style

Equipment: Tables, chairs, sofas

Technology: Wi-Fi

4 medium TVs with CATV connections (2 OBS Feed, 2 RTDS)

1 MyInfo+ account

Note: Close to warm-up area. Included in total warm-up area size and can include coaches area/rest room.

Athlete medical room

IJF reference: JUDOBOH006

Size: 100 m²

Use: Provide medical, physiotherapy and massage for athletes

Layout: Reception area with separated examination cubicles

Equipment: OCOG responsible



Note: OCOG has final decision on this space.
It should have a proper door or screen for privacy and to prevent anyone filming or photographing what is going on inside.
This should be as close as possible to the FOP and warm up area. There should be a clear evacuation route from FOP to the medical room and from FOP to the ambulance.

Athlete medical room additional

IJF reference: JUDOB0H006a

Size: 10 m²

Use: If the main medical room is a little distant from the warm-up area an additional medical area/room should be placed close/in the warm-up room

Equipment: OCOG responsible

Note: OCOG is responsible and has final decision on this space.
It should have a proper door or screen for privacy and to prevent anyone filming or photographing what is going on inside.

Athlete sauna

IJF reference: JUDOB0H007 & JUDOB0H008

Size: 25 m²

Use: Weight management

Equipment: 2-3 x temporary saunas for 8-12 people.

Note: Need for both females and males. Can be combined with athlete changing rooms.

Athlete toilets

IJF reference: JUDOB0H009 & JUDOB0H010

Equipment: Toilets and handbasins

Note: Need for both females and males. Can be combined with athlete changing rooms. Can be more than one if existing.

Athlete staging/waiting area

IJF reference: JUDOB0H011

Size: 20 m²

Use: Area after judogi control adjacent to FOP entrance where athletes wait for their contest.

Equipment: Must be carpeted.

Technology: 6 medium TVs with CATV connection - 2 OBS Feed, 4 Real Time Display (2 in FOP)

Note: Must be as close as possible/adjacent to the FOP entrance and must be carpeted.

Coaches' area/rest room

IJF reference: JUDOB0H012

Size: 30 m²

Use: Coaches to relax and hang their suits which they need for the final block.

Layout: Sofas for relaxing

Equipment: Clothes rack, hangers

Technology: Wi-Fi

Note: Included in total warm-up area size.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

Coffee station

IJF reference: JUDOBOH013

Size: 4 m²

Use: Used as a coffee station by the technical officials on FOP. Also used as a base for caterers / volunteers to serve coffee and drinks to the technical table.
A selection of coffee, tea, water, biscuits, nuts and finger food (such as small sandwiches) should be served.

Equipment: Table, power supply needed

Note: Can be on the edge of the FOP, close to the technical table, must be out of camera view.

Competition management work area

IJF reference: JUDOBOH014

Size: 100 m²

Use: Area for local competition management team to work

Layout: Office style

Equipment: Desks and chairs for 20 - 30 people

Technology: Wi-Fi

1 MyInfo+ account

1 phone with telephone line

5 desktops or laptops connected to the printer

10 LAN ports

3 TVs Stand Alone 32in (2 OBS Feed, 1 RTDS)

1 A3/A4 laminator

1 multifunctional colour printer/copier

Note: Can be separated into more than one room if venue does not allow for one large room. OCOG is responsible and has final decision on this space.

Games officials and IJF staff lounge

IJF reference: JUDOBOH015

Size: 100 m²

Use: Dining up to 100 people at a time - ITOs, NTOs, Staff.

Layout: Tables and chairs for dining, sofas for lounging, hot/cold buffet and beverage preparation and serving areas

Technology: Wi-Fi

3 medium TVs with CATV connection - 2 OBS Feed, 1 RTDS

Note: These client groups can be separated for dining if required.

Games officials and IJF staff changing rooms

IJF reference: JUDOBOH016 & JUDOBOH017

Size: 20 m²

Use: Changing and personal belongs storage.

Equipment: Lockers and benches

Note: Need for both females and males. Can be combined with toilets. Can be more than one if more smaller spaces exist.



Games officials and IJF staff toilets

IJF reference: JUDOBOH018 & JUDOBOH019

Equipment: Toilets and handbasins

Note: Need for both females and males. Can be combined with changing rooms. Can be more than one.

General Secretary and secretariat

IJF reference: JUDOBOH020

Size: 20 m²

Use: Secretariat administration

Layout: Office style

Equipment: Desks and chairs for 4 - 6 people, 1 small fridge with drinks and snacks

Technology: Wi-Fi

1 colour printer/copier

2 medium TVs with CATV connection - 2 OBS Feed

IF lounge

IJF reference: JUDOBOH021

Size: 150 m²

Use: An alternative lounge to Olympic Family Lounge for IJF Guests and VIPs to use, should serve food and drinks, offer protocol service. IJF should be allowed to use contractors of its own choice for the decoration, service and food/drinks provided.

Expected traffic during the day: 200 pax for coffee station and beverage , 100 pax for food

Layout: Informal seating area with sofas and coffee tables

Cocktail (bistro) tables (suggested 8)

Buffet service area

Coffee station area

Beverage corner with at least one refrigerator

- at least 150 glasses for champagne, at least 50 glasses for red wine and 50 glasses for white wine

Dining area with tables (suggested 6 round tables x 10 people)

- White table cloths, chairs covered in white chair covers and ribbon

- (suggested to have 1 colour scheme with flowers & ribbon)

- Flowers on tables

- Full selection of cutlery, glasses and cloth serviettes

Service during the day

Coffee Station

- Variety of teas, including black tea and green tea

- At least 2 Nespresso machines with capsules (Caramelito, New Cosi, Volluto, Decaf)

- Milk (fresh and UHT capsules) and variety of sugars, including honey and sweetener

Beverage Station

- Still and sparkling water (suggested still water Evian and sparkling Perrier)

- Selection of soft drinks and juices

- Red and white wine (to submit suggested brands)

- Champagne (Dom Perignon or Moet)



IJF OLYMPIC GAMES JUDO REQUIREMENTS

- Selection of beer
- Selection of spirits (to submit suggested brands), cognac, whisky, vodka, gin, local spirits

Finger Food

- Selection of finger food (local specialities etc.)
- Selection of sweet finger food
- Italian corner will be set up by IJF
- Fruits & chocolate

Lunch

Time suggested: 12:30 / 13:00 – 16:30 (to be confirmed closer to date)

Menu proposal should include:

- Soups
- Salads
- Starters and rice / pasta / noodles
- Main course – suggested 1 fish, 1 meat and 1 vegetarian option
- Side dishes – selection of minimum 2 side dishes
- Dessert – at least 3 options per day including fruits, cakes, chocolate

After competition cocktail

Finger food should be available and refreshed for after competition cocktail. It is ideal if a new menu of finger food is proposed for this cocktail and varies a little from the day.

Technology: 3 medium TV with CATV connection - 2 OBS feed, 1 RTDS
Wi-Fi
1 MyInfo+ account

Sound system (with back up microphone) and low background music during the day

Note: Through the In-Venue-Hospitality programme, IJF will set-up its lounge and as a third party, should be allowed to appoint its own suppliers for the fit-out. OCOG to discuss the procurement options and site management matters as early as possible.

IF lounge catering room

IJF reference: JUDOBOH021a

Size: 25 m²

Use: Area for preparation and storage of food/drinks for IF lounge.

Equipment: External contractors to provide.

Note: Close to or in IF lounge.

IF office

IJF reference: JUDOBOH022

Size: 40 m²

Use: Staff administration

Layout: Office style

Equipment: Desks and chairs for 4 - 6 people

Technology: Wi-Fi

1 colour printer/copier

1 MyInfo+ account



ITOs' work area

IJF reference: JUDOBOH023
 Size: 60 m²
 Use: Area for ITO daily meetings/debriefs
 Layout: Classroom style
 Equipment: Desks and chairs for 50 - 60 people
 Technology: Wi-Fi
 3 medium TVs with CATV connection - 2 OBS Feed, 1 RTDS
 1 screen/clear wall to show projector image
 1 projector

Judogi control area/call room

IJF reference: JUDOBOH024
 Size: 150 m²
 Use: Checking of athlete, accreditation, backnumber and judogi, space to hold reserve judogi. A private temporary changing space (one men, one women) should be included in case an athlete needs to change to a reserve judogi. Athletes go from here to the athlete waiting area adjacent to the FOP
 Equipment: Bags, boxes or basket for athlete clothing
 Clothes hanging rack and coat hangers for spare judogi, belts and white round-necked t-shirts
 Nail clippers
 Optical lamps
 Rule 50 cover up kit
 Sokuteiki
 Tables and chairs
 Technology: 4 medium TVs with CATV connection - 2 OBS Feed, 2 RTDS
 2 monitors - 19.5 inch with RTDS
 2 microphones connected to the speakers in the warm up area
 2 speakers for sound feedback
 Note: Must be as close as possible to FOP entrance and should be carpeted from exit to FOP.

NTOs' work area

IJF reference: JUDOBOH025
 Size: 50 m²
 Use: Area for NTO meetings/debriefs
 Layout: Classroom style
 Equipment: Desks and chairs for 40 - 50 people
 Technology: Wi-Fi
 1 screen/clear wall to show projector image
 1 projector
 Note: Can be separated into more than one room if venue does not allow for one large room. OCOG is responsible and has final decision on this space.

President's lounge

IJF reference: JUDOBOH026
 Size: 50 m²
 Use: Set up as a private lounge and meeting space not an office



IJF OLYMPIC GAMES JUDO REQUIREMENTS

- Layout:** Well decorated with sofas, lounge chairs, coffee tables, small fridge, area to serve snacks and drinks, meeting table and chairs for 8 people.
- Technology:** 3 medium TV with CATV connection - 2 OBS feed, 1 RTDS
Wi-Fi
1 MyInfo+ account
- Note:** Must be suitable to receive Heads of State and other dignitaries. Smoking if possible.

Sewing room

- IJF reference:** JUDOBOH027
- Size:** 15 m²
- Use:** Used for any last minute repairs to back numbers and judogi
- Layout:** Workshop style
- Equipment:** Industrial sewing machines and accessories
- Note:** Should be in or near judogi control.

Sport equipment room

- IJF reference:** JUDOBOH028
- Size:** 50 m²
- Use:** For storing reserve equipment in case changes are needed during the event.
- Note:** Must be as close as possible to FOP.

Sport equipment room (additional)

- IJF reference:** JUDOBOH028a
- Size:** 15 m²
- Use:** If main equipment store is far from warm-up/FOP a small room/secure area is needed close to FOP entrance.
- Note:** Must be as close as possible to FOP. It must not be in view of cameras.

Sport information desk

- IJF reference:** JUDOBOH029
- Size:** 10 m²
- Use:** Distribution of sport information to NOCs.
- Layout:** Reception desk style
- Equipment:** Desk and chairs for volunteers
Noticeboard
Pigeon holes for NOCs
- Technology:** 1 coach assistant screen Games network is necessary
1 laptop PC - General Standard Internet
1 phone for staff with telephone line
1 MyInfo+ account
1 colour printer
1 PRD printer B&W Games network is necessary
- Note:** Included in total warm-up area size.

Technical delegates' office

- IJF reference:** JUDOBOH030
- Size:** 20 m²



Use: Administration
 Layout: Office style
 Equipment: Desks and chairs for 3 people
 Technology: Wi-Fi
 1 colour printer/copier (stand alone)

Warm up area

IJF reference: JUDOBOH031

Size: 1600 m²

Note: Depending on the venue, the warm up tatami may be in a room on their own or combined with other facilities like athlete cubicles, medical room, changing rooms etc. It should be as close as possible to the judogi control area.

All tatami must be from an IJF approved supplier, 3 contest areas of 10 m x 10 m with 4 m safety area (46 m x 18 m, 150 yellow mats, 264 red mats). The layout can be changed depending on the shape of the space. The tatami need to be placed on a resilient floor at ground level. If the floor is concrete, there should be Taraflex (or similar) underneath the mats. The minimum height above the tatami must be 5 m.

Equipment: Ice machine

Technology: 6 large TV with CATV connection - 4 OBS feed, 2 RTDS

1 coach assistant screen Games network is necessary

2 speakers connected to the microphones located in the judogi control area

Lighting: Lighting of all back-of-house areas will be acceptable to OBS if the IF or OCOG sport manager accepts the venue lighting. In principle there are no additional OBS lighting requirements. There may be an exception for a specific Games where OBS requires a fixed live camera to be used as an integral part of the live broadcast.

Weigh-in (random)

IJF reference: JUDOBOH032 & JUDOBOH033

Size: 20 m²

Use: Morning weigh-in for selected athletes needed two hours before the start of competition. Used for the random weigh-in on the morning of the competition and during the day for athletes (men) testing their body weight.

The rules will be the same as those of the official weigh-in with the exception that the athletes do not need to bring their passports, as their accreditation is sufficient for identification.

The weight of the athlete cannot be more than 5 % higher (without judogi) than the official maximum weight limit of the category.

The responsible IJF delegate will perform the draw of the athletes by means of software on a laptop, one (1) hour before the start of the preliminaries of the competition each day.

This will be done at the place of the IJF IT person running the competition.

Four athletes per category (except +78 kg and +100 kg) will be drawn.

Layout: Table and 2 chairs

Equipment: 5 set of scales - maximum 4 digits (000,0), 200kg cap, one decimal place, calibrated daily
 Tensa barriers

Table

Chairs (2)

Note: Need for both females and males.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

Field of play

IJF reference: JUDOFOP001

Size: 2400 m² (60 m x 40 m)

Use: Used for the competition

Temperature: 18-22°C (never exceeding 22°C)

Note: Refer to the IJF EOG and SOR for further details. A minimum of three entrances to the field of play are needed to run the competition.

Carpet in should be laid in the FOP and warm up area and anywhere else an athlete can walk as they are barefoot. The carpet should be covered during venue installation to avoid any debris that athletes may step on.

Cabling should be tidy, avoiding the athlete pathway and hidden as much as possible. Cabling and venue dressing must respect the needs of a medical evacuation, a clear path must be open for the ambulance team all the times.

Coach seating should be boxed in and dressed in the look of the Games.

Equipment: Cleaning materials and fluid spill kit including disposable gloves

Manual draw and timing and scoring system

Guest name card holders

Stools or low chairs for video camera operators

Tensa barriers to control client flows

Technology: Extra large colour screens for the public showing sport presentation and live feed

3 TVs 32in for referee draw (1 per tatami + 1 spare)

10 wired (RJ45) LAN ports for IJF staff on technical table

2 printers - general B&W A4 internet dedicated to the IJF IT team

1 microphone for the referee radios (intercom)

1 I3-console w/microphone and data cable for referee radios (intercom)

6 stopwatches - 2 real time, 2 osaekomi, 2 delayed athlete

FOP tatami

IJF reference: JUDOFOP002

Size: 40 x 55 m

Note: The contest areas are numbered from left to right from the side where the technical table is located.

All tatami for IJF events must be IJF approved (the list of official suppliers is available at www.ijf.org) and the official colours are yellow (123C) and red (1795C). Any other colours proposed by the OCOG must be approved by the IJF before use. The competition tatami shall be divided into two zones of different colours: the contest area and the safety area. The contest area for Olympic Games, shall be 10m x 10m with a common safety area of 6m and a minimum exterior safety area of 4m.

Each tatami should measure 1 m x 2 m x 5 cm.

The tatami need to be placed on a resilient solid platform made of wood or a similar material.


It must be one metre wider and longer than the tatami dimensions (normally 20 m x 36 m) and must be between 0.8 m - 1 m in height, the optimum height will depend on the sightlines from the technical tables and tribune. The edge should be covered with carpet. The elements making up the platform must be aligned without space in between; the surface must be smooth and fixed in such a way that the individual mats cannot be displaced. The minimum height above the mats must be 12 m from the lowest hanging object.

Once the centre of the Field of Play has been agreed. The mats should be laid in pairs, one pair vertical followed by one pair horizontal, keeping them as square as possible. Each row should start with the reverse orientation of the one above or below it.




The athlete scoreboard plasma screens should be central to each mat on the athlete and coach side and off-centre on the side of the official tables.
 Any decoration on the tatami, such as the host city name, year or event logos, can only be placed on the safety area, never on the contest area. This decoration should not be slippery.

Preliminaries layout - image courtesy of the IOC



Final Block layout - image courtesy of the IOC





IJF OLYMPIC GAMES JUDO REQUIREMENTS

FOP technical table

IJF reference: JUDOBFOPO03

Size: 200 m²

Use: Competition management, VVIP seating, sport presentation

Layout: Three levels and each level needs to see over the one in front and have a clear view of the tatami (For tatami on a podium 800 mm high the three heights should be approx. 300, 660 and 1020 mm). For the width, each level needs to have enough space for someone to sit and also for another person to pass comfortable behind them without having to move the seated person (approx. 1800 mm). The IJF need 30 seats on front row and 30 seat on the middle row and 9 seats on the back row. The rest of the back row is shared with the OCOG timing and scoring provider and sport presentation.

Technical table (covered with table cloths) should have universal sockets power supply to each place, small 20 cm high privacy screens can be built in front of the table to hide computers, equipment and paperwork etc.

FOP lighting: The designers should follow all technical specifications set by OBS and the IJF to achieve compliance. The installed system will not be compliant until the OCOG, IJF and OBS have approved it. Natural light should always be avoided inside the area and any windows should be covered. Multiple tatami - if only one tatami is in use the lighting of the adjacent non competition tatami shall be capable of being switched to a lower illuminance level nominally 50% but TBD by OBS at rehearsals. The horizontal illuminance shall remain uniform. Single central tatami - The overall horizontal appearance of each of the tatami shall be uniform and able to be switched from two tatami to a single central tatami. Sport presentation lighting - as well as the FOP OBS lighting, additional sports presentation lighting and equipment is to be installed to follow the IJF Event Organisation Guide (<https://www.ijf.org/ijf/documents/5>). Illuminance and uniformities - the overall horizontal appearance of each of the tatami shall be uniform and the average horizontal illuminance shall be to within 5% of the other tatami.

Judo specific FOP lighting quality values summary

Illuminance, Lux		Uniformity					Glare Rating (camera)	Colour Rendering		Colour Temperature
Horizontal E _h	Camera E _c	Camera & vertical		Horizontal		Gradient % per 2m		TLCI	CRI	
Average	Min*	Min/max	Min/ave	Min/max	Min/ave	UG	GR _c	Q _a	R _a	Tk
(see Eh/Ev)	≥1,600	≥0.7	≥0.8	≥0.7	≥0.8	≤10%	≤40	≥85	≥85	5600K
Eh-ave/Ev-ave-Cam#1		HH cameras E _v		Ev-max-Cam#1		Luminaire elevation aiming angle		Ev ratio @ point (to 4 FOP sides)		Ec-max
≥0.5 and ≤1.5		≥0.7 of 'main' cam		within SRZ		≤65°		≥0.6		≥2,000 lx

CARE system: video adjudication system used for referee playback


Equipment: 2 video Monitors, 24-27", Full HD 1920x1080, HD-SDI input, located at central CARE system

4 TFT monitors, 24-27", Full HD 1920x1080, DVI and HDMI input, located at central CARE system, located at central CARE system

8 full HD video cameras and tripods, full HD with HD-SDI output (BNC), 4 around each tatami

8 HD-SDI BNC cables from cameras around the tatami to the central CARE system position
 12 OBS Feeds (HD-SDI signals), delivered by BNC cables, full HD, audio embedded, located at central CARE system
 OCOG timing scoring to provide 8 scoreboard TVs (55-65 inches), laptops and timing and scoring equipment, 2 active loudspeakers and cables

UPS: in case of power issues
 Equipment: 3 uninterruptible power supplies, minimum power each UPS: 980 Watts/1440 VA or better.
 Waveform type: Pure Sine wave, located at central CARE system



Delegation seating

IJF reference: JUDODST001
 Size: 350 - 400 seats required
 Use: Used for warm-up partners, non competing athletes, coaches, team officials etc.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

DRAW

Draw room

- IJF reference: JUDODRW001
- Size: Iconic building such as a theatre or similar to seat 500 people.
- Use: Technical draw for the competition
- Layout: Theatre style (500 people) with a top table for 8-10 people
- Equipment: Guest name cards
- Technology: 2 TV Screens for clear visibility at the draw
1 Sound system
PA set
3 Photocopiers - minimum of 50 ppm
1 Games network For Omega
2 Printer B&W OCOG responsible as Games Network is necessary
- Note: Professional translator for English and local language.

Draw cocktail space

- IJF reference: JUDODRW002
- Size: 100 m²
- Use: Welcome cocktail: should take place after the draw. This should be a standing buffet. All draw attendees are invited.
- Layout: Cocktail style
- Service: Beverage station with coffee and tea, still and sparkling water, selection of soft drinks and juices
Finger food station - selection of local finger food and a selection of sweet finger food

TRAINING VENUE

New or existing venue

- IJF reference: JUDOTRG001
- Use: The OCOG shall provide sufficient training areas to accommodate the number of participants. From the opening of the Olympic Village until the last day of the judo competition. Training times should be coordinated between the OCOG and the NOCs
- Layout: 16 FOP mat areas (8 m x 8 m) and 1 mat area (16 m x 16 m). Curtain separation required between each mat area for privacy with sufficient circulation space for coaches and support staff and benches for sitting.
Temperature must be 18-22°C (never exceeding 22°C) with adequate ventilation so a good air conditioning/heating system is necessary.
- Equipment: IJF approved tatami (mats) need to be placed on a resilient floor at ground level. If the floor is concrete, there needs to be Taraflex (or similar) underneath the mats. Minimum height above the mats must be 5 m.
- Note: Changing rooms with lockers, showers, toilets, saunas, scales, medical provision and athlete lounge area with snacks and drinks.



VILLAGE

The weigh-in and sewing room spaces are normally shared with other sports and take place in the village.

Sewing room

IJF reference: JUDOSEW001

Size: 35 m²

Use: For checking that the athletes' judogi conform to rule 50 and for the sewing of the personalised back patches.

Layout: Workshop style

Equipment: Athlete back patches
Plastic bags for carrying judogi
Sewing machines (industrial) and accessories
Sokuteiki

Official weigh-in rooms

IJF reference: JUDOWGI001 & JUDOWGI002

Size: 35 m²

Use: This is where the official weigh-in takes place the evening before the competition.

Layout: Table and 2 chairs

Equipment: 5 set of scales - maximum 4 digits (000.0), 200kg capability, one decimal place, calibrated daily
Tensa barriers

Note: Need for both females and males.



IJF Headquarters and Presidential Office

HUN 1051 Budapest
József Attila str. 1
www.ijf.org

IJF General Secretariat

21-25 Avenue de la Porte de Châtillon
75680 Paris Cedex 14 France