


INTERNATIONAL JUDO FEDERATION



IJF OLYMPIC GAMES

JUDO REQUIREMENTS

Version 10 June 2026



TABLE OF CONTENT

Chapter 1 INTRODUCTION.....	3
Chapter 2 LEGACY STRATEGY	4
Chapter 3 IJF ACCOMMODATION	5
Chapter 4 COMPETITION VENUE.....	6
Chapter 5 FIELD OF PLAY	15
Chapter 6 DRAW	20
Chapter 7 TRAINING VENUE	24
Chapter 8 OLYMPIC VILLAGE	25



Chapter 1

INTRODUCTION

The Olympic Games represent the most prestigious event in the world of sports. As we do with all events on the International Judo Federation (IJF) calendar, we are striving that this also be reflected in the level of service provided to all client groups. The Organising Committee of the Olympic Games (OCOG) should strive to deliver at least the same standard as that which is currently experienced in most of the IJF World Judo Tour (WJT) events.

This document should be used in conjunction with the latest version of the IJF Sport and Organisation Rules (**SOR**) and the IJF Event Organisation Guide (**EOG**). These can be found at <https://sor.ijf.org> and <https://events.ijf.org>, respectively.

Contact Information

Lisa Allan, Secretary General - gs@ijf.org

Vladimir Barta, Head Sport Director - bartajudo@volny.cz

Larisa Kiss, Director for Olympic Games and the Olympic Movement for Judo - larisa@ijf.org

Claudiu Chimoiu, Events Director - chimoiu@ijf.org

Sport Commission - sport@ijf.org

Abbreviations

BOH Back of House

EOG Event Organisation Guide

FOP Field of Play

IOC International Olympic Committee

ITO International Technical Official

NF National Judo Federation

NOC National Olympic Committee

NTO National Technical Official

OBS Olympic Broadcast Service

OCOG Organising Committee of the Olympic Games

OFH Olympic Family Hotel

PRD Printed Results Distribution

RTDS Real Time Display system

SOR Sport Organisation Rules

SSE Sport Specific Equipment

WJT World Judo Tour



Chapter 2

LEGACY STRATEGY

When delivering an Olympic judo competition, the International Judo Federation (IJF) and the Organising Committee of the Olympic Games (OCOG) work in close cooperation with the host National Federation. This collaboration provides the National Federation with valuable expertise and operational know-how, strengthening its capacity to deliver competitions at the highest standard. The benefits extend across all areas, including event organisation, refereeing, promotion, and media.

Depending on the level of judo development in the host country, a range of side activities and public engagement initiatives can further enhance the sport's visibility and appeal. These efforts aim to broaden participation, particularly among youth, and to increase the overall number of practitioners.

The choice of venue is of paramount importance from a legacy perspective. New or refurbished venues can serve as long-term assets, hosting future high-level judo competitions and potentially becoming part of the World Judo Tour. Such venues carry lasting prestige and can evolve into iconic locations for the sport. In contrast, temporary venues, while often more cost-efficient and supportive of overall event sustainability, do not contribute to long-term legacy objectives.

The IJF Event Organisation Guide (EOG) includes a dedicated section on sustainability at World Judo Tour events and should be used as a key reference: <https://www.ijf.org/ijf/documents/13>



Chapter 3

IJF ACCOMMODATION

Other IF Hotel

- 5-star hotel, in a good location, proximity to the venue is a plus.
- **Users:** IJF Executive Committee and guests.
- **Requirements:** Number of rooms: 85-100 including approx. 10-15 suites.
- One lounge space to be used for group dinners: approx. 85-100 persons capacity.
- Buffet dinner with a mutually agreed menu needed for each day and non-alcoholic beverages included.
- Lounge to start 1 day before the draw and to end the day before the last competition day.
- Spa / fitness suite appreciated.
- Proximity to transport drop-off or OFH appreciated.
- 1 ballroom to be used on the night of the last competition day, for a cocktail reception for approx. 350 persons (can be also in a different location if not available in hotel).
- 1 office space for max 10 persons, to be used a few days before the competition starts.
- 1 storage room for the entire period.

ITO Hotel

- 3-4 star hotel, in a good location, proximity to the venue is a priority.
- **Users:** IJF personnel and possibly some guests.
- **Requirements:** Number of rooms: 45-50.
- One lounge space to be used for group dinners in case dinner is not ensured and available in hotel restaurants: approx. 50 persons capacity.
- Buffet dinner with a mutually agreed menu needed for each day and non-alcoholic beverages included.
- Proximity to venue or a transport drop-off station appreciated.



Chapter 4

COMPETITION VENUE

Existing or new with a seating capacity of 15,000-20,000 gross.

Back of House (BOH)

Athlete changing rooms

- **IJF reference:** JUDOBOH001 & JUDOBOH002
- **Size:** 80 m²
- **Use:** Changing, showering and bag storage.
- **Equipment:** Showers (4-6 cubicles), lockers and benches.
- **Note:** Need for both females and males. Can be combined with athlete toilets. Can be more than one if more smaller spaces are existing.

Athlete cubicles

- **IJF reference:** JUDOBOH003
- **Size:** 300 m²
- **Use:** Private spaces (+/-40 pcs of 2m x 3m) in warm-up area for NOCs to use.
- **Equipment:** Physiotherapy bed and a couple chairs in each one.
- **Note:** Included in total warm-up area size/layout and must be carpeted.

Athlete doping control suite

- **IJF reference:** JUDOBOH004
- **Size:** 230 m²
- **Use:** Doping control for athletes.
- **Layout:** Reception area with separated doping control suite.
- **Equipment:** OCOG responsible.
- **Note:** OCOG has final decision on this space.

Athlete lounge and dining

- **IJF reference:** JUDOBOH005
- **Size:** 200 - 250 m²
- **Use:** Relaxing/lounging.
- **Layout:** Dining style.
- **Equipment:** Tables, chairs, sofas.
- **Technology:** Wi-Fi.
4 medium TVs with CATV connections (2 OBS Feed, 2 RTDS).
1 MyInfo+ account or equivalent.
Close to warm-up area. Included in total warm-up area size and can include coaches' area/rest room.



Athlete medical room

- **IJF reference:** JUDOBOH006
- **Size:** 100 m²
- **Use:** Provide medical, physiotherapy and massage for athletes.
- **Layout:** Reception area with separated examination cubicles.
- **Equipment:** OCOG responsible.
- **Note:** OCOG has final decision on this space.
It should have a proper door or screen for privacy and to prevent anyone from filming or photographing what is going on inside.
This should be as close as possible to the FOP and warm-up area.
There should be a clear evacuation route from FOP to the medical room and from FOP to the ambulance.

Athlete medical room additional

- **IJF reference:** JUDOBOH006a
- **Size:** 10 m²
- **Use:** If the main medical room is a little distant from the warm-up area an additional medical area/room should be placed close/in the warm-up room.
- **Equipment:** OCOG responsible.
- **Note:** OCOG is responsible and has final decision on this space.
It should have a proper door or screen for privacy and to prevent anyone from filming or photographing what is going on inside.

Athlete sauna

- **IJF reference:** JUDOBOH007 & JUDOBOH008
- **Size:** 25 m²
- **Use:** Weight management.
- **Equipment:** 2-3 x temporary saunas for 8-12 people.
- **Note:** Need for both females and males. Can be combined with athlete changing rooms.

Athlete toilets

- **IJF reference:** JUDOBOH009 & JUDOBOH010
- **Equipment:** Toilets and handbasins.
- **Note:** Need for both females and males. Can be combined with athlete changing rooms.
A minimum of 2 to 3 toilets per gender is recommended.

Athlete staging/waiting area

- **IJF reference:** JUDOBOH011
- **Size:** 10m x 5m
- **Use:** Area after judogi control adjacent to FOP entrance where athletes wait for their contest.
- **Equipment:** Must be carpeted. Supports/hangers for the screens.
Tensa barriers, mat number labels (stickers or paper).
- **Technology:** 4 medium TVs with CATV connection - 2 OBS Feed, 2 RTDS.
- **Note:** Must be as close as possible/adjacent to the FOP entrance.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

Coaches' area/rest room

- **IJF reference:** JUDOBOH012
- **Size:** 30 m²
- **Use:** Coaches to relax and hang their suits which they need for the final block.
- **Layout:** Sofas for relaxing.
- **Equipment:** Clothes rack, hangers.
- **Technology:** Wi-Fi.
- **Note:** Included in total warm-up area size.

Coffee station

- **IJF reference:** JUDOBOH013
- **Size:** 4 m²
- **Use:** Used as a coffee station by the technical officials and guests on FOP.
Also used as a base for caterers to serve coffee and drinks to the technical table top guests.
A selection of coffee, tea, water, biscuits, nuts and finger food (such as small sandwiches) should be served.
- **Equipment:** Table, power supply needed.
- **Note:** Can be on the edge of the FOP, close to the technical table, must be out of camera view.

Competition management work area

- **IJF reference:** JUDOBOH014
- **Size:** 100 m²
- **Use:** Area for local competition management team to work.
- **Layout:** Office style.
- **Equipment:** OCOG to decide.
- **Technology:** OCOG to decide.
- **Note:** Can be separated into more than one room if venue does not allow for one large room. OCOG is responsible and has final decision on this space.

Games officials and IJF personnel lounge

- **IJF reference:** JUDOBOH015
- **Size:** 100 m²
- **Use:** Dining up to 100 people at a time - ITOs, NTOs, Personnel.
- **Layout:** Tables and chairs for dining, sofas for lounging, hot/cold buffet and beverage preparation and serving areas.
- **Technology:** Wi-Fi.
3 medium TVs with CATV connection - 2 OBS Feed, 1 RTDS.
- **Note:** These client groups can be separated for dining if required.

Games officials and IJF personnel changing rooms

- **IJF reference:** JUDOBOH016 & JUDOBOH017
- **Size:** 20 m²
- **Use:** Changing and personal belongings storage.
- **Equipment:** Lockers and benches.
- **Note:** Need for both females and males. Can be combined with toilets.
Can be more than one if several smaller spaces available.



Games officials and IJF personnel toilets

- **IJF reference:** JUDOBOH018 & JUDOBOH019
- **Equipment:** Toilets and handbasins.
- **Note:** Need for both females and males. Can be combined with changing rooms. Can be more than one.

Secretary General and Secretariat

- **IJF reference:** JUDOBOH020
- **Size:** 20 m²
- **Use:** Secretariat administration.
- **Equipment:** Desks and chairs for 4 – 6 people, 1 small fridge with drinks and snacks.
- **Technology:** Wi-Fi.
1 colour printer/copier.
2 medium TVs with CATV connection – 2 OBS Feed.

IF Lounge

- **IJF reference:** JUDOBOH021
- **Size:** 150 m²
- **Use:** An alternative lounge to Olympic Family Lounge for IJF Guests and VIPs to use, should serve food and drinks, offer protocol service. IJF should be allowed to use contractors of its own if they can secure better prices and service, for decoration, service and food/drinks provided. Expected traffic during the day: 200 pax for coffee station and beverage, 80-100 pax for food.
- **Layout:** Informal seating area with sofas and coffee tables.
Cocktail (bistro) tables (suggested 8).
- **Technology:** Wi-Fi.
1 MyInfo+ account or equivalent.
Sound system (with back up microphone) and low background music during the day.
- **Note:** Through the In-Venue-Hospitality programme, IJF will set up its lounge and as a third party, should be allowed to appoint its own suppliers for the fit-out. OCOG to discuss the procurement options and site management matters as early as possible.
- **Buffet service area/Coffee station area:**
Beverage corner with at least one refrigerator.
AC.
At least 150 glasses for champagne, at least 50 glasses for red wine and 50 glasses for white wine.
Dining area with tables (suggested 6 round tables x 10 people).
White tablecloths, chairs covered with white chair covers and ribbon (suggested to have 1 colour scheme with flowers & ribbon, to be confirmed with IJF Protocol Team).
Flowers on tables.
Full selection of cutlery, glasses and cloth serviettes.
- **Service during the day:**
- **Coffee station:**
Variety of teas, including black tea and green tea.
At least 2 Nespresso machines with capsules (Caramelito, New Cosi, Volluto, Decaf).
Milk (fresh and UHT capsules) and variety of sugars, including honey and sweetener.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

- **Beverage station:**

Still and sparkling water (suggested still water Evian and sparkling Perrier).

Selection of soft drinks and juices.

Red and white wine (brand suggestions to be submitted to the IJF).

Champagne (Moët&Chandon).

Selection of beers.

Selection of spirits (brand suggestions to be submitted to the IJF), cognac, whisky, vodka, gin, local spirits.

- **Finger food:**

Selection of finger food (local specialties etc.)

Selection of sweet finger food.

Italian corner (will be set up by the IJF).

Fruits & chocolate.

- **Lunch:**

Time suggested: 12:30 / 13:00 – 16:30 (to be confirmed closer to date).

Menu proposal should include:

Soups

Salads

Starters

Carbs selection: rice / pasta / noodles

Main course: suggested 1 fish, 1 meat and 1 vegetarian option

Side dishes: selection of minimum 2 side dishes

Dessert: at least 3 options per day including fruits, cakes, chocolate.

- **After competition cocktail (if requested):**

Finger food should be available and refreshed for after competition cocktail. It is ideal if a new menu of finger food is proposed for this cocktail and varies a little from the day.

IF lounge catering room

- **IJF reference:** JUDOBOH021a

- **Size:** 25 m²

- **Use:** Area for preparation and storage of food/drinks for IF lounge.

- **Equipment:** External contractors to provide.
Equipped with AC.

- **Note:** Close to or in IF lounge.



IF office

- **IJF reference:** JUDOBOH022
- **Size:** 40 m²
- **Use:** Staff administration.
- **Layout:** Office style.
- **Equipment:** Desks and chairs for 4 - 6 people.
- **Technology:** Wi-Fi.
1 colour printer/copier supporting A3 dimensions.
1 MyInfo+ account or equivalent.

ITOs' work area

- **IJF reference:** JUDOBOH023
- **Size:** 60 m²
- **Use:** Area for ITO daily meetings/debriefs.
- **Layout:** Classroom style.
- **Equipment:** Desks and chairs for 50 - 60 people.
- **Technology:** Wi-Fi.
3 medium TVs with CATV connection - 2 OBS Feed, 1 RTDS.
1 screen/clear wall to show projector image.
1 projector.

Judogi control area/call room

- **IJF reference:** JUDOBOH024
- **Size:** 150 m²
- **Use:** Checking of athlete, accreditation, backnumber and judogi, space to hold reserve judogi. A private temporary changing space (one men, one women) should be included in case an athlete needs to change to a reserve judogi.
Athletes go from here to the athlete waiting area adjacent to the FOP.
- **Equipment:** Bags, boxes or baskets for athlete clothing & personal belongings.
Clothes hanging rack and coat hangers for spare judogi, belts and white round-necked t-shirts.
Nail clippers.
Optical lamps.
Rule 50 cover up kit.
Sokuteiki (judogi measurement device).
Tables and chairs.
- **Technology:** Wi-Fi.
4 medium TVs with CATV connection - 2 OBS Feed, 2 RTDS.
2 monitors - 19.5 inch with RTDS.
2 microphones connected to the speakers in the warm-up area.
2 speakers for sound feedback.
4 radio sets for communication between check-in area and warm-up area.
- **Note:** Must be as close as possible to FOP entrance and should be carpeted from exit to FOP.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

NTOs' work area

- **IJF reference:** JUDOBOH025
- **Size:** 50 m²
- **Use:** Area for NTO meetings/debriefs.
- **Layout:** Classroom style.
- **Equipment:** Desks and chairs for 40 - 50 people.
- **Technology:** Wi-Fi.
1 screen/clear wall to show projector image.
1 projector.
- **Note:** Can be separated into more than one room if venue does not allow for one large room. OCOG is responsible and has final decision on this space.

President's lounge/office

- **IJF reference:** JUDOBOH026
- **Size:** 50 m²
- **Use:** Set up as a private lounge and meeting space not an office.
- **Layout:** Well-decorated with sofas, lounge chairs, coffee tables, small fridge, area to serve snacks and drinks, meeting table and chairs for 8 people.
- **Technology:** 3 medium TV with CATV connection - 2 OBS feed, 1 RTDS.
Wi-Fi.
1 MyInfo+ account or equivalent.
- **Note:** Must be suitable to receive Heads of State and other dignitaries.
Access to smoking area if available.
Possibility of monitoring the room temperature.

Sewing room

- **IJF reference:** JUDOBOH027
- **Size:** 15 m²
- **Use:** Used for any last-minute repairs to backnumbers and judogi.
- **Layout:** Workshop style.
- **Equipment:** Industrial sewing machines and accessories.
- **Note:** Should be in or near judogi control.

Sport equipment room

- **IJF reference:** JUDOBOH028
- **Size:** 50 m²
- **Note:** For storing reserve equipment in case changes are needed during the event.
Must be as close as possible to FOP.

Sport equipment room (additional)

- **IJF reference:** JUDOBOH028a
- **Size:** 15 m²
- **Use:** FOP entrance.
If main equipment storage is far from warm-up/FOP a small room/secure area is needed close by.
- **Note:** Must be as close as possible to FOP. It must not be in view of cameras.



Sport information desk

- **IJF reference:** JUDOBOH029
- **Size:** 10 m²
- **Use:** Distribution of sport information to NOCs.
- **Layout:** Reception desk style.
- **Equipment:** Desk and chairs for volunteers.
Noticeboard: Position a board within or adjacent to the warm-up area to display essential information for NOCs.
- **Technology:** 1 coach assistant screen.
Games network is necessary.
1 laptop PC - General Standard Internet.
1 phone for staff with telephone line.
1 MyInfo+ account or equivalent.
1 colour printer.
1 PRD printer B&W Games network is necessary
- **Note:** Included in total warm-up area size. OCOG has the final decision on the model for the delivery of sport information.

IF delegates' office (if space is available)

- **IJF reference:** JUDOBOH030
- **Size:** 20 m²
- **Use:** Administration.
- **Layout:** Office style.
- **Equipment:** Desk and chairs for 3 people.
- **Technology:** Wi-Fi.
1 colour printer/copier (stand-alone).

Warm-up area

- **IJF reference:** JUDOBOH031
- **Size:** 1600 m²
- **Note:** Depending on the venue, the warm-up tatami may be in a room on their own or combined with other facilities like athlete cubicles, medical room, changing rooms etc. It should be as close as possible to the judogi control area and FOP. Temperature at the warm-up area: The competition venue should maintain a constant temperature between 18°C and 22°C, this includes the warm-up area (refer to the IJF Sport and Organisation Rules, **SOR**, 8.1).
- All tatami must be from an IJF approved supplier and comply with IJF tatami rules (refer to the IJF Sport and Organisation Rules, **SOR**, 8.7). The main warm-up area must be, 3 contest areas of 10 m x 10 m with 4 m safety area (46 m x 18 m, 150 yellow mats, 264 red mats). The main tatami of the warm-up area must have a secure frame all around to prevent movement during use. The layout can be changed depending on the shape of the space.
- **Resting areas:** A 2-metre-wide (minimum) tatami strip should surround the main warm-up area, serving as a resting zone for athletes. A 2-metre-wide passage should connect the resting area to the main warm-up space, ensuring smooth movement. This resting area should also be connected to the NOC cubicles.
- The warm-up area must have a sprung floor. The tatami need to be placed on a resilient floor at ground level. If the underlying surface is concrete, a cushioning layer (e.g. Taraflex or equivalent) is required underneath the mats. The minimum height above the tatami/mats must be 5 metres from the lowest hanging object.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

- **Amenities:** Ice and water stations (refer to the IJF Sport and Organisation Rules, **SOR**, 8.4).
- **Carpet:** The floor in the competition venue and warm-up area must be covered, and carpeting must be laid wherever an athlete may walk barefoot. The carpet must be covered during venue installation to avoid any debris that athletes may step on.
- A sound system is required to connect to judogi control (each table should have one wireless microphone). There should be a loudspeaker in the warm-up area to allow the athletes to hear the call (their names to go to the contest).
- The athlete tribune, changing rooms, toilets, judogi-control and other facilities should be as close as possible to the warm-up area.
- **Equipment:** Ice machine, loudspeaker, screens, tatami frame.
- **Technology:** 6 large TV with CATV connection - 4 OBS feed, 2 RTDS.
1 coach assistant screen.
Games network is necessary.
Wi-Fi should be available for NOCs in the warm-up area.
- **Lighting:** Lighting of all back-of-house areas will be acceptable to OBS if the IF or OCOG sport manager accepts the venue lighting. In principle there are no additional OBS lighting requirements.
- **OBS fixed camera:**
There may be an exception for a specific Games where OBS requires a fixed live camera to be used as an integral part of the live broadcast.

Weigh-in (random)

- **IJF reference:** **JUDOBOH032 & JUDOBOH033**
- **Size:** 20 m²
- **Use:** Morning weigh-in for selected athletes needed two hours before the start of competition. Used for the random weigh-in on the morning of the competition and during the day for athletes testing their body weight.

The rules will be the same as those of the official weigh-in with the exception that the athletes do not need to bring their passports, as their accreditation is sufficient for identification.

The weight of the athlete cannot be more than 5 % higher (without judogi) than the official maximum weight limit of the category.

The responsible IJF delegate will perform the draw of the athletes by means of software on a laptop, one (1) hour before the start of the preliminaries of the competition each day.

This will be done at the working station of the IJF IT person running the competition.
Four athletes per category (except +78 kg and +100 kg) will be drawn.
- **Equipment:** 5 set of scales - maximum 4 digits (000.0), 200 kg cap, one decimal place, calibrated daily.
Tensa barriers.
Table.
Chairs (2).
- **Note:** Need for both females and males.



Chapter 5

FIELD OF PLAY

Field of play

- **IJF reference:** JUDOFOP001
- **Size:** 2400 m² (60 m x 40 m)
- **Use:** Used for the competition.
- **Temperature:** 18–22°C (never exceeding 22°C).
- **Note:** Refer to the IJF **EOG** and **SOR** for further details. A minimum of three entrances to the field of play are needed to run the competition.

Carpet should be laid in the FOP and warm up area and anywhere else an athlete can walk as they are barefoot. The carpet should be covered during venue installation to avoid any debris that athletes may step on.

Cabling should be tidy, avoiding the athlete pathway and hidden as much as possible. Cabling and venue dressing must respect the needs of a medical evacuation; a clear path must be open for the ambulance team all the times.

Coach seating should be boxed in and dressed in the look of the Games; dimensions according to IJF regulations (respecting safety).

Team boxes – dressed in the Look of the Games. Dimensions according to IJF regulations.

- **Equipment:**
 - Cleaning materials and fluid spill kit including disposable gloves.
 - Manual draw and timing and scoring system.
 - Guest name card holders.
 - Stools or low chairs for video camera operators.
 - Tensa barriers to control client flows.
 - Extra-large colour screens for the public, showing sport presentation and live feed (with switchable connection to the referee video replay output).
 - 3 TVs (32") for referee draw (1 per tatami + 1 spare).
 - 20 wired (RJ45) LAN ports with high-speed internet for IJF personnel at the technical table, all ports open.
 - 2 printers – general B&W A4, network-connected, dedicated to the IJF IT team (plus spare toner).
 - 6 stopwatches – 2 “real time,” 2 “osaekomi,” 2 “delayed athlete”.
- **Referee radio communication:**
 - Walkie-talkies: Configured with a dedicated frequency/channel for each tatami.
 - Quantity: Total = number of referees + 5 additional units for the commission and spares.
 - Accessories: Each device to be supplied with an acoustic tube earpiece (covert style) for discreet communication.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

FOP tatami

- **IJF reference:** JUDOFOP002
- **Size:** Competition surface 18 m x 34 m + all around tatami should be a frame (5 cm width, 3 cm height) + followed by 1 m Look of the Games.
- **Reserve tatami:** 8 extra pieces (4 red and 4 yellow, the same type as those used on the FOP, as per the dimensions indicated here below) to be stored near the competition area, to allow for quick replacement in case of blood or other incidents requiring immediate tatami change. These should be included when ordering the total number of tatami for the FOP.
- **Note:** The contest areas are numbered from left to right from the side where the technical table is located.

All tatami for IJF events must be IJF approved (the list of official suppliers is available at www.ijf.org) and the official colours are yellow (123C) and red (1795C). Any other colours proposed by the OCOG must be approved by the IJF before use. The competition tatami shall be divided into two zones of different colours: the contest area and the safety area. The contest area for Olympic Games shall be 10 m x 10 m with a common safety area of 6 m and a minimum exterior safety area of 4 m. The tatami must have a secure frame all around to prevent movement during use.

Each tatami piece should measure 1 m x 2 m x 5 cm.

The tatami need to be placed on a level resilient solid platform made of wood or a similar material. Platform must be one meter wider and longer than the tatami dimensions (so usually 20 m x 36 m) + the frame (5 cm width and 3 cm height) and must be between 0.8 m - 1 m in height, the optimum height will depend on the sightlines from the technical tables and tribune.


Competition area is surrounded by a frame, which will keep the tatami pieces together and will not allow them to fall off the platform. The frame must be max. 5 cm (width) and max. 3 cm (height). 1 m additional tatami must be placed around this frame, covered with the Look and Feel of the Games. The minimum height above the mats must be 12 m from the lowest hanging object.

Once the center of the FOP has been agreed, the mats should be laid in pairs, one pair vertical followed by one pair horizontal, keeping them as square as possible. Each row should start with the reverse orientation of the one above or below it.

The athlete scoreboard plasma screens should be central to each mat on the athlete and coach side and off-center on the side of the official tables.

Any decoration on the tatami, such as the host city name, year or event logos, can only be placed on the safety area, never on the contest area. This decoration should not be slippery and the material should be matte (not shining, to avoid any reflection).


Preliminaries layout



Preliminary

- ① Coach Box (width 800 mm * depth 800 mm (1000 mm) * height 1000 mm)
Coach boxes on a 20 cm high podium - dimensions, colours, stickers, position)
- ② Specific Sportboard
(55-65 inches = 121 cm x 68.45 cm - 143.64 cm x 80.90 cm)
- ③ Team Box
(height 100 cm x width 400 cm x depth 140 cm)
- ④ 4 Monitors, Switcher & etc for CARE system
- ⑤ Laptop & Keyboard for Scoreboard
- ⑥ Camera for CARE System
(width 100 cm x depth 100 cm x height 150 cm)
- ⑦ Monitor for Referee Draw

Final block layout



Final

- ① Coach Box (width 800 mm * depth 800 mm (1000 mm) * height 1000 mm)
Coach boxes on a 20 cm high podium - dimensions, colours, stickers, position)
- ② Specific Sportboard
(55-65 inches = 121 cm x 68.45 cm - 143.64 cm x 80.90 cm)
- ③ Team Box
(height 100 cm x width 400 cm x depth 140 cm)
- ④ 4 Monitors, Switcher & etc for CARE system
- ⑤ Laptop & Keyboard for Scoreboard
- ⑥ Camera for CARE System
(width 100 cm x depth 100 cm x height 150 cm)
- ⑦ Monitor for Referee Draw



IJF OLYMPIC GAMES JUDO REQUIREMENTS

FOP technical table

- **IJF reference:** JUDOFOP003
- **Size:** 200 m²
- **Use:** Competition management, VVIP seating, sport presentation.
- **Layout:** Three levels and each level needs to see over the one in front and have a clear view of the tatami. For tatami on a podium 800 mm high, the three heights should be 800 mm, 1200 mm, 1600 mm. For the width, each level must have 2000 mm. The IJF need 36 seats on front row and 36 seats on the middle row and 12 seats on the back row. The rest of the back row is shared with the OCOG Timing and Scoring provider and Sport Presentation.

Technical table (covered with tablecloths) should have universal power sockets at each working station, small 20 cm high privacy screens can be built in front of the table to hide computers, equipment and paperwork etc.

- **FOP lighting:** The designers should follow all technical specifications set by OBS and the IJF to achieve compliance. The installed system will not be compliant until the OCOG, IJF and OBS have approved it. Natural light should always be avoided inside the area, and any windows should be covered. Lights, LED screens and any other element hanging above the tatami cannot be lower than 12 m distance from tatami.

Multiple tatami - if only one tatami is in use the lighting of the adjacent non-competition tatami shall be capable of being switched to a lower illuminance level nominally 50% but to be decided by OBS at rehearsals. The horizontal illuminance shall remain uniform.

Single central tatami - the overall horizontal appearance of each of the tatami shall be uniform and able to be switched from two tatami to a single central tatami.

Sport presentation lighting - as well as the FOP OBS lighting, additional sports presentation lighting and equipment is to be installed, upon consultation with the IJF.

Illuminance and uniformities - the overall horizontal appearance of each of the tatami shall be uniform and the average horizontal illuminance shall be to within 5% of the other tatami.

Judo specific FOP lighting quality values summary - in IJF events, the IJF requires 2000 lx with temperature colour 5600K (cold light). However, these values can increase according to the OBS equipment used. Please see table below for reference only.



CARE system: video adjudication system used for referee playback

- **IJF reference:** JUDOFOP003a
- **Equipment:**
 - 2 video monitors, 24-27", Full HD 1920x1080, HD-SDI input, located at central CARE system.
 - 4 TFT monitors, 24-27", Full HD 1920x1080, DVI and HDMI input, located at central CARE system.
 - 6 full HD video cameras and tripods, full HD with HD-SDI output (BNC), 3 around each tatami.
 - 6 HD-SDI BNC cables from cameras around the tatami to the central CARE system position.
 - 14 OBS Feeds (HD-SDI signals), delivered by BNC cables, full HD, audio embedded, located at central CARE system.
 - OCOG timing scoring to provide 8 scoreboard TVs (55-65 inches), laptops and timing and scoring equipment, 2 active loudspeakers and cables UPS: in case of power issues.
 - 3 uninterruptible power supplies, minimum power each UPS: 980 Watts/1440 VA or better.
 - Waveform type: Pure Sine wave, located at central CARE system.

Delegation (Athlete) seating

- **IJF reference:** JUDODST001
- **Size:** 350 - 400 seats required.
- **Use:** Used for training partners (P accreditation), non-competing athletes, coaches, team officials etc.



Chapter 6

DRAW

Draw room

- **IJF reference:** JUDODRW001
- **Size:** A room of minimum of 10 x 12 m x 2,5 m (h), with carpeted floor. The room must be well ventilated and silent. Stable power and internet connection is required. Needs prior approval from IJF.
- **Use:** Technical draw for the competition.
- **Layout:** See draw room layout drawing.
- **Equipment:** Colour printed banner must be stretched on to wooden or steel frames. The design of the banner will be sent by IJF during pre-event preparations. All print outs are subject to IJF approval. The banner will be combined with VIP tables and chairs in front of it. Official draw tables.
For each seat:
 - 1 pen.
 - 1 A5 notebook.
 - 1 Evian water 330 ml room temperature.
 - 1 water glass (tumbler).A Look & Feel dressed pulpit is required as well.
In case of manual draw (due to technical or other issues):
 - 1 large frosted bowl.
 - 1 set of ping pong balls numbered from 1 to max athlete number/weight category (total number of balls will be equal to number of athletes in the most populated weight category).Catering and Service elements:
 - Catering (for 15 pax).
 - Set up.
 - Around 20 chairs to cover the whole area for all IJF Staff and Personnel attending.
- **Coffee/Tea station for the draw:**
Coffee station items:
 - 1 Nespresso machine for original capsules Volluto (1 box) and other selection.
 - Filtered coffee.
 - Sugar (white and brown).
 - Milk (fresh and UHT capsules).
 - Almond or soya milk.Tea station
 - 1 kettle or hot water pot.
 - Selection including chamomile, green tea, earl grey, black tea.
- **Beverages suggested for the draw:**
Water: Local still and sparkling water.
Sodas including: Coca-Cola, Coca-Cola Zero, Sprite.
Juices including: orange and apple.
Tea including : green, black tea, Earl Grey.







- **Observation:** Ideally, participants should be provided a light meal selection from 3 hours prior to the draw, including individual snacks and finger foods (salty and sweet), dry biscuits and fruits.
The light meal should continue at least 30 minutes after the draw until last Guest/Personnel leaves.
- **Workforce:** Only essential IJF and OCOG technicians will attend the draw, as well as media, if requested.
All technical equipment should be used by the professional technicians provided by the OCOG in the draw room. Exact number to be decided with IJF.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

Draw room layout



Draw technology



IT Requirements Olympic Games

Draw Technical table


IJF will bring:		
3x	laptops	draw software, presentation, countdown timer + backup
1x	Tricaster	streaming machine
Optional: 4x	video cameras + tripods	from IJF CARE equipment, either with operators or static use

Must be provided:		
1x	video mixer	<ul style="list-style-type: none"> with preview monitor, seamless switching 3xHDMI inputs, 4x HD-SDHI inputs, 2x HDMI out, 1x HD-SDI out
1x	audio mixer	<ul style="list-style-type: none"> for receiving sound from laptops (using USB DI boxes XLR or 3.5 mm jack connections) and cable/wireless microphones on stage, mix sound is given out to speakers and to streaming machine by XLR
2x	LCD screens	in front of stage (>60", HDMI input)
2x	HDMI splitter	for big screens (one is backup)
2x	computer monitors	23"-26", HDMI input, Full-HD resolution 1920x1080, 16:9
2x	laser printer	with additional toner
1x	UPS	min. power: 980 Watts / 1440 VA, Waveform Type: pure Sine wave
	microphones	By cable on stage for each person, additional wireless mics)
	cables in various length	HD-SDI HDMI, XLR, ... (length according position of cameras, screens etc.)
1x	router with wired internet connection	<ul style="list-style-type: none"> Download speed: 30 MBit/s or more, Upload speed: 30 MBit/s or more Internet configuration must allow upload to YouTube, Facebook and Instagram. DHCP
1x	wireless router	For providing wireless internet to all attendees, independent from cable
Preferred: 4x	professional video cameras	HD-SDI out, with professional tripods. Trained operators



IT Requirements Olympic Games

Draw Technical table





Chapter 7

TRAINING VENUE

New or existing venue

- **IJF reference:** JUDOTRG001
- **Use:** The OCOG shall provide sufficient training areas to accommodate the number of participants, from the opening of the Olympic Village until the last day of the judo competition. Training times should be coordinated between the OCOG and the NOCs. Transport should be provided if the venue is not close to the athlete accommodation/ Olympic Village.
- **Layout:** 16 FOP mat areas (8 m x 8 m) and 1 mat area (16 m x 16 m). Banners or curtain separation required between each mat area to ensure privacy, allowing delegations to train independently and away from other teams and/or media. Adequate circulation space must be maintained for coaches/support staff and benches must be available for seating. Temperature must be 18-22°C (never exceeding 22°C) with adequate ventilation, so a good air conditioning/heating system is necessary.
- **Equipment:** Tatami used in the training venue must be from an IJF approved supplier and comply with IJF tatami rules (refer to the IJF Sport and Organisation Rules, **SOR**, 8.7). Tatami should be placed on a resilient floor at ground level. If the underlying surface is concrete, a cushioning layer (e.g. Taraflex or equivalent) is required underneath the mats. The minimum height above the mats must be 5 meters from the lowest hanging object. The main tatami of the training venue must have a secure frame all around to prevent movement during use. Scales for test scales rooms.
- **Facilities:** Provide at least one room (ideally two (2), one (1) per gender) with test scales. Scales should be placed on a stable floor and calibrated to ensure accuracy. Scales should follow **SOR** rules.

Ice and water (in sealed bottles, cans or containers up to 500 ml), with a low sodium and/or chloride content (below 200 mg/l), must be provided to delegations. Facilities should include changing rooms with lockers, showers, toilets, medical provision, saunas, fitness equipment and a lounge area with drinks and snacks.

Garbage bins: Ensure garbage bins are available in the training venue.



Chapter 8

OLYMPIC VILLAGE

The unofficial and official weigh-in and sewing room spaces are usually shared with other sports and take place in the village.

Sewing room

- **IJF reference:** JUDOSEW001
- **Size:** 35 m²
- **Use:** Sewing of back patches (backnumbers).
- **Layout:** Workshop style.
- **Equipment:** Athlete backnumbers.
Plastic bags for carrying judogi.
Sewing machines (industrial) and accessories for sewing the personalised backnumbers.
Sokuteiki to inspect athletes' judogi compliance to Rule 50.
Masking kit to ensure compliance to Rule 50.

Official and unofficial weigh-in rooms

- **IJF reference:** JUDOWGI001 & JUDOWGI002
- **Size:** 35 m²
- **Use:** This is where the unofficial and official weigh-in takes place the day before the competition. Facilities must be opened from the arrival of the first delegation.
- **Layout:** Table and 2 chairs.
- **Equipment:** 5 set of scales - maximum 4 digits (000.0), 200 kg capability, one decimal place, calibrated daily.
Tensa barriers:
The scales must be placed on a level, solid surface to ensure accurate weighing.
- **Note:** Need for both females and males.

Unofficial weigh-in rooms (Test Scales Rooms) – Olympic Village*

- **IJF reference:** JUDOWGI003 & JUDOWGI004*
*If the official weigh-in rooms are accessible to judo athletes 24/7 for weight checks, the provision of separate test scale rooms may be considered optional. Separate rooms should be provided for male and female athletes, each with a minimum area of 5 m². These rooms must be available from the arrival of the first delegations and remain open 24 hours a day.
The scales must be placed on a level, solid surface to ensure accurate weighing.
- **Equipment:** 2 set of scales - maximum 4 digits (000.0), 200 kg capability, one decimal place, calibrated daily.
- **Note:** Need for both females and males.



IJF OLYMPIC GAMES JUDO REQUIREMENTS

Judogi pre-control room

- **IJF reference:** JUDOPCI001
- **Size:** 60 - 80 m²
- **Use:** This room will be used for the pre-check and verification of judogi and backnumbers, prior to athletes' participation in competition.
- **Location:** Ideally located within the Olympic Village, in close proximity to the athletes' accommodation area for easy access by all athletes.
- **Room specifications:**
 - Access: Easily accessible for athletes.
 - Privacy: Enclosed and private to allow athletes to try on their judogi.
 - Lighting: Well-lit to allow proper visual inspection of judogi.
 - Ventilation: Adequately ventilated for comfort.
 - Flooring: Clean, non-slippery surface.
 - Furniture and Equipment:
 - 2 changing cabins for privacy.
 - 4 to 6 tables and chairs for IJF personnel.
 - Measuring tapes.
- **Operational needs:**

The room should be made available at least 4–6 days before the start of judo competition and remain open throughout the competition period.
Clear signage should be posted: "Judogi Pre-Control Room – IJF".



IJF Headquarters and Presidential Office

József Attila Street 1

Budapest 1051

Hungary

www.ijf.org

IJF General Secretariat

József Attila Street 1

Budapest 1051

Hungary

gs@ijf.org